

Jari Laukkanen, 26. Oct 2017

PUBLICATIONS

Original articles and meta-analyses

1. Laukkanen T, Kunutsor S, Zaccardi F, Lee E, Willeit P, Khan H, **Laukkanen JA**. Acute effects of sauna bathing on cardiovascular function. *J Human Hypertens*, Nature 2017 (in press).
2. Lee E, Laukkanen T, Kunutsor SK, Khan H, Willeit P, Zaccardi F, **Laukkanen JA**. Sauna exposure leads to improved arterial compliance: Findings from a non-randomised experimental study. *Eur J Prev Cardiol*. 2017 Jan 1:2047487317737629. [Epub ahead of print].
3. Kunutsor SK, Khan H, Laukkanen T, **Laukkanen JA**. Joint associations of sauna bathing and cardiorespiratory fitness on cardiovascular and all-cause mortality risk: a long-term prospective cohort study. *Ann Med*. 2017 Oct 16:1-8. [Epub ahead of print]
4. Kunutsor S, Laukkanen T, **Laukkanen JA**. Sauna bathing reduces the risk of respiratory diseases: a long-term prospective cohort study. *Eur J of Epidemiology* 2017, Sep 13. doi: 10.1007/s10654-017-0311-6. [Epub ahead of print].
5. Kunutsor SK, **Laukkanen JA**. Gamma-glutamyltransferase and future risk of pneumonia: A long-term prospective cohort. *Lung* 2017. Oct 9. [Epub ahead of print]
6. **Laukkanen JA**, Laukkanen T, Kunutsor S. Cross-country skiing is associated with lower all-cause mortality: A population-based follow-up study. *Scand J Med Sci Sports* 2017, Sep 16. doi: 10.1111/sms.12980. [Epub ahead of print]

7. Kunutsor S, Laukkanen T, **Laukkanen JA**. Frequent sauna bathing may reduce the risk of pneumonia in middle-aged Caucasian men: The KIHD prospective cohort study. *Respiratory Medicine*. 2017, 23 October.
8. Nuuttila O-P, Nikander A, Polomoshnov D, **Laukkanen JA**, Häkkinen K. Effects of HRV-guided versus predetermined block training on performance, HRV and serum hormones. *Int Journal of Sports Medicine* 2017 Sep 26. [Epub ahead of print]
9. Kunutsor SK, **Laukkanen JA**. Gamma-glutamyltransferase and risk of chronic kidney disease: a prospective cohort study. *Clinica Chimica Acta* 2017;473:39-44.
10. Kunutsor SK, Laukkanen T, **Laukkanen JA**. Cardiorespiratory fitness and future risk of pneumonia: a long-term prospective cohort study. *Annals of Epidemiology* 2017, Aug 12. pii: S1047-2797(17)30365-4. [Epub ahead of print].
11. Sane M, Granér M, **Laukkanen JA**, Harjola V-P, Mustonen P. Plasma levels of coagulation markers in patients with pulmonary embolism on admission and seven months later. *Int Journal of Laboratory Hematology* 2017, Sep 4. [Epub ahead of print]
12. Kunutsor SK, Kurl S, Khan H, Zaccardi F, Rauramaa R, **Laukkanen JA**. Oxygen uptake at aerobic threshold is inversely associated with fatal cardiovascular and all-cause mortality events. *Ann Med*. 2017 Aug 14:1-27.
13. Pletnikoff PP, **Laukkanen JA**, Tuomainen TP, Kurl S. The joint impact of prediagnostic inflammatory markers and cardiorespiratory fitness on the risk of cancer mortality. *Scand J Med Sci Sports*. 2017 Jul 31. doi: 10.1111/sms.12952. [Epub ahead of print]
14. Kunutsor SK, Blom AW, Whitehouse MR, Kehoe PG, **Laukkanen JA**. Renin-angiotensin system inhibitors and risk of fractures: a prospective cohort study and meta-analysis of published observational cohort studies. *Eur J Epidemiol*. 2017 Jul 27. doi: 10.1007/s10654-017-0285-4. [Epub ahead of print]

15. Kunutsor SK, Whitehouse MR, Blom AW, **Laukkanen JA**. Statins and venous thromboembolism: do they represent a viable therapeutic agent? *Expert Rev Cardiovasc Ther.* 2017 Aug;15(8):629-637. doi: 10.1080/14779072.2017.1357468. Epub 2017 Jul 21.
16. Jae SY, Babu AS, Yoon ES, Kurl S, **Laukkanen JA**, Choi YH, Franklin BA. Impact of cardiorespiratory fitness and risk of systemic hypertension in nonobese versus obese men who are metabolically healthy or unhealthy. *Am J Cardiol.* 2017 Jun 15. pii: S0002-9149(17)30955-4. doi: 10.1016/j.amjcard.2017.05.054. [Epub ahead of print]
17. Kunutsor SK, Seidu S, Blom AW, Khunti K, **Laukkanen JA**. Serum C-reactive protein increases the risk of venous thromboembolism: a prospective study and meta-analysis of published prospective evidence. *Eur J Epidemiol.* 2017 Jul 17. doi: 10.1007/s10654-017-0277-4. [Epub ahead of print]
18. Kunutsor SK, Laukkanen T, **Laukkanen JA**. Cardiorespiratory fitness is associated with reduced risk of respiratory diseases in middle-aged Caucasian men: A long-term prospective cohort study. *Lung.* 2017 Jul 11. doi: 10.1007/s00408-017-0039-9. [Epub ahead of print]
19. Zaccardi F, Laukkanen T, Willeit P, Kunutsor SK, Kauhanen J, **Laukkanen JA**. Sauna bathing and incident hypertension: A prospective cohort study. *Am J Hypertens.* 2017 Jun 13. doi: 10.1093/ajh/hpx102. [Epub ahead of print]
20. Zhao Q, **Laukkanen JA**, Li Q, Li G. Body mass index is associated with type 2 diabetes mellitus in Chinese elderly. *Clin Interv Aging.* 2017 May 2;12:745-752.
21. Kunutsor SK, Laukkanen T, **Laukkanen JA**. Cardiorespiratory fitness is associated with reduced risk of future psychosis: A long-term prospective cohort study. *Schizophr Res.* 2017 May 2. pii: S0920-9964(17)30249-9. doi: 10.1016/j.schres.2017.04.042. [Epub ahead of print]
22. Kunutsor SK, Whitehouse MR, Blom AW, **Laukkanen JA**. Low serum magnesium levels are associated with increased risk of fractures: a long-term prospective cohort study. *Eur J Epidemiol.* 2017 Apr 12. doi: 10.1007/s10654-017-0242-2. [Epub ahead of print]

23. Kunutsor SK, **Laukkanen JA**, Whitehouse MR, Blom AW. Adherence to a Mediterranean-style diet and incident fractures: pooled analysis of observational evidence. *Eur J Nutr*. 2017 Mar 22. doi: 10.1007/s00394-017-1432-0. [Epub ahead of print]
24. Jae SY, Kurl S, **Laukkanen JA**, Yoon ES, Choi YH, Fernhall B, Franklin BA. Relation of heart rate recovery after exercise testing to coronary artery calcification. *Ann Med*. 2017;49(5):404-410. doi: 10.1080/07853890.2017.1292044.
25. Kunutsor SK, Kurl S, **Laukkanen JA**. Association of oxygen uptake at ventilatory threshold with risk of incident hypertension: a long-term prospective cohort study. *J Hum Hypertens*. 2017;31(10):654-656.
26. Kunutsor SK, Kurl S, Khan H, Zaccardi F, **Laukkanen JA**. Associations of cardiovascular and all-cause mortality events with oxygen uptake at ventilatory threshold. *Int J Cardiol*. 2017 Feb 10. S0167-5273(16)32158-1
27. Peng J, **Laukkanen JA**, Zhao Q Wang L, Zhang X, Li G. Association of left atrial enlargement with ventricular remodeling in hypertensive Chinese elderly. *Echocardiography Journal* 2017 Mar 1. doi: 10.1111/echo.13484. [Epub ahead of print]
28. Laukkanen T, Kunutsor SK, Kauhanen J, **Laukkanen JA**. Sauna bathing is inversely associated with Dementia and Alzheimer's disease in middle-aged Finnish men. *Age Ageing*. 2017 Mar 1;46(2):245-249.
29. Kunutsor SK, **Laukkanen JA**. Gamma-glutamyltransferase and risk of prostate cancer: findings from the KIHU prospective cohort study. *Int J Cancer*. 2017,140:818-824.
30. Khan H, Jaffar N, Rauramaa R, Kurl S, Savonen K, **Laukkanen JA**. Cardiorespiratory fitness and non-fatal cardiovascular events: A population based follow-up study. *Am Heart Journal*. 2016;184:55-61.
31. Kunutsor SK, **Laukkanen JA**. Circulating active serum calcium reduces the risk of hypertension. *Eur J Prev Cardiol*. 2017;24(3):239-243.

32. Kurl S, Mäkikallio TH, Jae SY, Ronkainen K, **Laukkanen JA**. Exercise cardiac power and the risk of coronary heart disease and cardiovascular disease in men. *Ann Med*. 2016 Sep 29;1-6.
33. Kunutsor SK, **Laukkanen JA**. Serum gamma-glutamyltransferase is associated with future risk of psychosis - A prospective cohort study. *Schizophr Res*. 2017 Mar;181:72-74
34. Kunutsor SK, Zaccardi F, Karppi J, Kurl S, **Laukkanen JA**. Is high serum LDL/HDL cholesterol ratio an emerging risk factor for sudden cardiac death? Findings from the KIH D Study. *Journal of Atherosclerosis and Thrombosis*. 2017 Jun 1;24(6):600-608.
35. Jae SY, Lee CD, Choi YH, Fernhall B, Kurl S, **Laukkanen JA**. Changes in cardiorespiratory fitness over a decade predict incident hypertension: a population-based 20-years follow-up study. *Am J Hum Biol*. 2016 Oct 18. doi: 10.1002/ajhb.22932.
36. Hagnäs M, Lakka TA, Kurl S, Mäkikallio TH, Rauramaa R, **Laukkanen JA**. Cardiorespiratory fitness and exercise-induced ST-segment depression in assessing the risk of sudden cardiac death in men. *Heart*. 2016 Sep 7. pii: heartjnl-2015-309217.
37. Willeit P, Kaptoge S, Welsh P, Butterworth AS, Chowdhury R, Spackman SA, Pennells L, Gao P, Burgess S, Freitag DF, Sweeting M, Wood AM, Cook NR, Judd S, Trompet S, Nambi V, Olsen MH, Everett BM, Kee F, Ärnlöv J, Salomaa V, Levy D, Kauhanen J, **Laukkanen JA**, Kavousi M, Ninomiya T, Casas JP, Daniels LB, Lind L, Kistorp CN, Rosenberg J, Mueller T, Rubattu S, Panagiotakos DB, Franco OH, de Lemos JA, Luchner A, Kizer JR, Kiechl S, Salonen JT, Goya Wannamethee S, de Boer RA, Nordestgaard BG, Andersson J, Jørgensen T, Melander O, Ballantyne ChM, DeFilippi Ch, Ridker PM, Cushman M, Rosamond WD, Thompson SG, Gudnason V, Sattar N, Danesh J, Di Angelantonio E Natriuretic Peptides Studies Collaboration. Natriuretic peptides and integrated risk assessment for cardiovascular disease: an individual-participant-data meta-analysis. *Lancet Diabetes Endocrinol*. 2016 Sep 2. pii: S2213-8587(16)30196-6.

38. **Laukkanen JA**, Zaccardi F, Khan H, Kurl S, Jae SY, Rauramaa R. Long-term change in cardiorespiratory fitness and all-cause mortality: A population-based follow-up study. *Mayo Clin Proc.* 2016 Jul 18. pii: S0025-6196(16)30257-9.
39. Kunutsor SK, Khan H, Nyysönen K, **Laukkanen JA**. Lipoprotein(a) and risk of sudden cardiac death in middle-aged Finnish men: A new prospective cohort study. *Int J Cardiol.* 2016;220:718-725.
40. **Laukkanen JA**, Zaccardi F, Karppi J, Ronkainen K, Kurl S. Reduced kidney function is a risk factor for atrial fibrillation. *Nephrology.* 2016;21(8):717-720.
41. Kunutsor SK, Khan H, **Laukkanen JA**. Serum magnesium and risk of new onset heart failure in men: the Kuopio Ischemic Heart Disease Study. *Eur J Epidemiol.* 2016;31(10):1035-1043.
42. Pletnikoff PP, Tuomainen TP, **Laukkanen JA**, Kauhanen J, Rauramaa R, Ronkainen K, Kurl S. Cardiorespiratory fitness and lung cancer risk: A prospective population-based cohort study. *J Sci Med Sport.* 2016;19(2) 98-102.
43. Kunutsor SK, Khan H, Nyysönen K, **Laukkanen JA**. Is lipoprotein (a) protective of dementia? *Eur J Epidemiol.* 2016;31:1149-1152.
44. Korpelainen R, Lämsä J, Kaikkonen KM, Korpelainen J, **Laukkanen JA**, Palatsi I, Takala TE, Ikäheimo TM, Hautala AJ. Exercise capacity and mortality - a follow-up study of 3033 subjects referred to clinical exercise testing. *Ann Med.* 2016;48(5): 359-366.
45. Eklund D, Häkkinen A, **Laukkanen JA**, Balandzic M, Nyman K, Häkkinen K. Fitness, body composition and blood lipids following 3 concurrent strength and endurance training modes. *Appl Physiol Nutr Metab.* 2016;41(7):767-774.
46. Kunutsor SK, **Laukkanen JA**. Gamma glutamyltransferase and risk of future dementia in middle-aged to older Finnish men: A new prospective cohort study. *Alzheimers Dement.* 2016 Apr 18. pii: S1552-5260(16)30181-9.

47. Kunutsor SK, **Laukkanen JA**, Bluemke DA, Butler J, Khan H. Baseline and long-term gamma-glutamyltransferase, heart failure and cardiac arrhythmias in middle-aged Finnish men: Prospective study and pooled analysis of published evidence. *Eur J Prev Cardiol*. 2016 Apr 15.
48. Kunutsor SK, **Laukkanen JA**. Serum zinc concentrations and incident hypertension: new findings from a population-based cohort study. *J Hypertens*. 2016;34(6):1055-1061.
49. Morrison L, **Laukkanen JA**, Ronkainen K, Kurl S, Kauhanen J, Toriola AT. Inflammatory biomarker score and cancer: A population-based prospective cohort study. *BMC Cancer*. 2016 Feb 10;16:80.
50. Kunutsor SK, Khan H, **Laukkanen JA**. γ -Glutamyltransferase and risk of sudden cardiac death in middle-aged Finnish men: A new prospective cohort study. *J Am Heart Assoc*. 2016 Feb 8;5(2).
51. Jae SY, Kurl S, **Laukkanen JA**, Zaccardi F, Choi YH, Fernhall B, Carnethon M, Franklin BA. Exercise heart rate reserve and recovery as predictors of incident type 2 diabetes. *Am J Med*. 2016;129(5):536.e7-536.
52. Kunutsor SK, Kurl S, Zaccardi F, **Laukkanen JA**. Baseline and long-term fibrinogen levels and risk of sudden cardiac death: a new prospective study and meta-analysis. *Atherosclerosis*. 2016;245:171-180.
53. Kurl S, Laaksonen DE, Jae SY, Zaccardi F, Kauhanen J, Ronkainen K, **Laukkanen JA**. Metabolic syndrome and the risk of sudden cardiac death. *Int J Cardiol*. 2016;203:792-797.
54. Cloostermans L, Wendel-Vos W, Doornbos G, Howard B, Craig CL, Kivimäki M, Tabak AG, Jefferis BJ, Ronkainen K, Brown WJ, Picavet SH, Ben-Shlomo Y, **Laukkanen JA**, Kauhanen J, Bemelmans WJ. Independent and combined effects of physical activity and body mass index on the development of Type 2 Diabetes - a meta-analysis of 9 prospective cohort studies. *Int J Behav Nutr Phys Act*. 2015;12(1):147.

55. Zaccardi F, Webb D, Yates T, Kurl S, Khunti K, Davis M, **Laukkanen JA**. Cardiorespiratory fitness and risk of type 2 diabetes mellitus: a 23-year cohort study and a meta-analysis of prospective studies. *Atherosclerosis*. 2015;243(1):131-137.
56. Kurl S, Jae SY, Kauhanen J, Ronkainen K, **Laukkanen JA**. Impaired pulmonary function is a risk predictor for sudden cardiac death in men. *Ann Med*. 2015;47(5):381-385.
57. Kunutsor SK, Apekey TA, **Laukkanen JA**. Association of serum total osteocalcin with type 2 diabetes and intermediate metabolic phenotypes: systematic review and meta-analysis of observational evidence. *Eur J Epidemiol*. 2015 Jun 18.
58. Hagnäs MJ, Kurl S, Rauramaa R, Lakka TA, Mäkikallio TH, Savonen K, **Laukkanen JA**. The value of cardiorespiratory fitness and exercise-induced ST segment depression in predicting death from coronary heart disease. *Int J Cardiol*. 2015;196:31-33.
59. Zaccardi F, Webb DR, Kurl S, Khunti K, Davies MJ, **Laukkanen JA**. Inverse association between fasting plasma glucose and risk of ventricular arrhythmias. *Diabetologia*. 2015;58(8):1797-1802.
60. Cannon CP, Blazing MA, Giugliano RP, McCagg A, White JA, Theroux P, Darius H, Lewis BS, Ophuis TO, Jukema JW, De Ferrari GM, Ruzylo W, De Lucca P, Im K, Bohula EA, Reist C, Wiviott SD, Tershakovec AM, Musliner TA, Braunwald E, Califf RM; IMPROVE-IT Investigators, **Laukkanen JA**. Ezetimibe added to statin therapy after acute coronary syndromes. *N Engl J Med*. 2015; 372:2387-2397.
61. Willeit P, Freitag DF, **Laukkanen JA**, Chowdhury S, Gobin R, Mayr M, Di Angelantonio E, Chowdhury R. Asymmetric dimethylarginine and cardiovascular risk: systematic review and meta-analysis of 22 prospective studies. *J Am Heart Assoc*. 2015 May 28;4(6):e001833.
62. Tolmunen T, Lehto SM, **Laukkanen J**, Ronkainen K, Julkunen J, Kauhanen J. Somatic concerns, depressive traits, atherosclerosis and the incidence of cardiovascular disease in ageing Finnish men. *J Psychosom Res*. 2015;79(3):207-213.

63. Pletnikoff PP, **Laukkanen JA**, Tuomainen TP, Kauhanen J, Rauramaa R, Ronkainen K, Kurl S. Cardiorespiratory fitness, C-reactive protein and lung cancer risk: A prospective population-based cohort study. *Eur J Cancer*. 2015;51(11):1365-1370.
64. Zaccardi F, Webb DR, Carter P, Pitocco D, Khunti K, Davies MJ, Kurl S, **Laukkanen JA**. Association between direct measurement of active serum calcium and risk of type 2 diabetes mellitus: A prospective study. *Nutr Metab Cardiovasc Dis*. 2015;25(6):562-568.
65. Zaccardi F, Pitocco D, Willeit P, **Laukkanen JA**. Efficacy and safety of P2Y12 inhibitors according to diabetes, age, gender, body mass index and body weight: systematic review and meta-analyses of randomized clinical trials. *Atherosclerosis*. 2015;240(2):439-445.
66. Jae SY, Kurl S, **Laukkanen JA**, Lee CD, Choi YH, Fernhall B, Franklin BA. Relation of C-reactive protein, fibrinogen, and cardiorespiratory fitness to risk of systemic hypertension in men. *Am J Cardiol*. 2015;115(12):1714-1719.
67. Khan H, Kella D, Rauramaa R, Savonen K, Lloyd MS, **Laukkanen JA**. Cardiorespiratory fitness and atrial fibrillation: A population-based follow-up study. *Heart Rhythm*. 2015;12(7):1424-1430.
68. Khan H, Kunutsor S, Kalogeropoulos AP, Georgiopoulou VV, Newman AB, Harris TB, Bibbins-Domingo K, Kauhanen J, Gheorghiade M, Fonarow GC, Kritchevsky SB, **Laukkanen JA**, Butler J. Resting heart rate and risk of incident heart failure: three prospective cohort studies and a systematic meta-analysis. *J Am Heart Assoc*. 2015 Jan 14;4(1):e001364.
69. Laukkanen T, Khan H, Zaccardi F, **Laukkanen JA**. Association between sauna bathing and fatal cardiovascular and all-cause mortality events. *JAMA Intern Med*. 2015;175(4):542-548.
70. Kunutsor SK, Khan H, **Laukkanen JA**. Serum albumin concentration and incident type 2 diabetes risk: new findings from a population-based cohort study. *Diabetologia*. 2015;58(5):961-967.

71.Kurl S, Mäkikallio TM, **Laukkanen JA**. T-Wave inversion and mortality risk. *Ann Med* 2015;47(1):69-73.

72.Kurl S, Jae SY, Kauhanen J, Ronkainen K, Rauramaa R, **Laukkanen JA**. Exercise cardiac power and the risk of sudden cardiac death in a long-term prospective study. *Int J Cardiol*. 2015;181:155-159.

73. Piepoli MF, Binno S, Corrà U, Seferovic P, Conraads V, Jaarsma T, Schmid JP, Filippatos G, Ponikowski PP; Committee on Exercise Physiology & Training of the Heart Failure Association of the ESC and Collaborators i.e. **Laukkanen JA**. ExtraHF survey: the first European survey on implementation of exercise training in heart failure patients. *Eur J Heart Fail*. 2015;17(6):631-638.

74. Zaccardi F, Kurl S, Pitocco D, Ronkainen K, **Laukkanen JA**. Serum fructosamine and risk of cardiovascular and all-cause mortality: A 24-year prospective population-based study. *Nutr Metab Cardiovasc Dis*. 2015;25(2):236-241.

75.Zaccardi F, Khan H, **Laukkanen JA**. Diabetes mellitus and risk of sudden cardiac death: A systematic review and meta-analysis. *Int J Cardiol*. 2014;177(2):535-537.

76.**Laukkanen JA**, Khan H, Kurl S, Willeit P, Karppi J, Ronkainen K, Di Angelantonio E. Left ventricular mass and the risk of sudden cardiac death: a population-based study. *J Am Heart Assoc*. 2014;3(6):e001285.

77.Jae SY, Kurl S, **Laukkanen JA**, Choi YH, Park WH, Bunsawat K, Heffernan KS, Fernhall B, Kang SM, Park JB. Usefulness of blood pressure rise prior to exercise stress testing to predict the risk of future hypertension in normotensive Korean men. *Am J Cardiol*. 2014;114:1238-1242.

78.Kurl S, Jae SY, **Laukkanen JA**. Reduced lung function and the risk of out-of-hospital sudden cardiac death. *Eur Respir J*. 2014;44(5):1355-1357.

79. Zaccardi F, Kurl S, Pitocco D, Ronkainen K, **Laukkanen JA**. Serum fructosamine and risk of type 2 diabetes mellitus among middle-age Finnish men: a 23-year population-based prospective study. *Acta Diabetol.* 2015; 52(1):161-166.
80. Kurl S, Zaccardi F, Onaemo VN, Jae SY, Kauhanen J, Ronkainen K, **Laukkanen JA**. Association between HOMA-IR, fasting insulin and fasting glucose with coronary heart disease mortality in nondiabetic men: a 20-year observational study. *Acta Diabetol.* 2014 52(1):183-186.
81. Khan H, Kunutsor SK, Kauhanen J, Kurl S, Gorodeski EZ, Adler AI, Butler J, **Laukkanen JA**. Fasting plasma glucose and incident heart failure risk: a population-based cohort study and new meta-analysis. *J Card Fail.* 2014;20:584-592.
82. Rantakömi SH, Kurl S, Sivenius J, Kauhanen J, **Laukkanen JA**. The frequency of alcohol consumption is associated with the stroke mortality. *Acta Neurol Scand.* 2014;130:118-124.
83. **Laukkanen JA**, Di Angelantonio E, Khan H, Kurl S, Ronkainen K, Rautaharju PM. T wave inversion, QRS duration and QRS/T-angle as electrocardiographic predictors of the risk for sudden cardiac death. *Am J Cardiol.* 2014; 113:1178-1183.
84. Viitasalo A, Lakka TA, Laaksonen DE, Savonen K, Lakka HM, Hassinen M, Komulainen P, Tompuri T, Kurl S, **Laukkanen JA**, Rauramaa R. Validation of metabolic syndrome score by confirmatory factor analysis in children and adults and prediction of cardiometabolic outcomes in adults. *Diabetologia.* 2014; 57:940-949.
85. Khan H, Kunutsor S, Rauramaa R, Savonen K, Kalogeropoulos AP, Georgiopoulou VV, Butler J, **Laukkanen JA**. Cardiorespiratory fitness and risk of heart failure: a population-based follow-up study. *European J of Heart Failure.* 2014;16:180-122.
86. **Laukkanen JA**, Willeit P, Kurl S, Mäkikallio TH, Savonen K, Ronkainen K, Rauramaa R. Elevated systolic blood pressure during recovery from exercise and the risk of sudden cardiac death. *J Hypertens.* 2014;32:656-666.

87. Jae SY, Kurl S, **Laukkanen JA**, Heffernan KS, Choo J, Choi YH, Park JB. Higher blood hematocrit predicts hypertension in men. *J Hypertens*. 2014;32:245-250.
88. Bakhoya VN, Kurl S, **Laukkanen JA**. T-wave inversion on electrocardiogram is related to the risk of acute coronary syndrome in the general population. *Eur J Prev Cardiol*. 2014;21:500-506.
89. Ataklte F, Erqou S, **Laukkanen J**, Kaptoge S. Meta-analysis of ventricular premature complexes and their relation to cardiac mortality in general populations. *Am J Cardiol*. 2013;112:1263-1270.
90. Toriola AT, **Laukkanen JA**, Kurl S, Nyssönen K, Ronkainen K, Kauhanen J. Prediagnostic circulating markers of inflammation and risk of prostate cancer. *Int J Cancer*. 2013;133:2961-2967.
91. **Laukkanen JA**, Mäkikallio TH, Karppi J, Ronkainen K, Kurl S. Impaired plasma glucose levels and type 2 diabetes are related to the risk of out-of-hospital sudden cardiac death and all-cause mortality. *Diabetes Care*. 2013;36:1166-1171.
92. **Laukkanen JA**, Rauramaa R. Systolic blood pressure during exercise testing and the risk of sudden cardiac death. *Int J Cardiol*. 2013;3046-3047.
93. Karppi J, **Laukkanen JA**, Mäkikallio TH, Ronkainen K, Kurl S. Serum β -carotene and the risk of sudden cardiac death in men: a population-based follow-up study. *Atherosclerosis*. 2013;226:172-177.
94. Karppi J, Kurl S, Mäkikallio TH, Ronkainen K, **Laukkanen JA**. Low levels of plasma carotenoids are associated with an increased risk of atrial fibrillation. *Eur J Epidemiol*. 2013;28:45-53.
95. Karppi J, Kurl S, Ronkainen K, Kauhanen J, **Laukkanen JA**. Serum carotenoids reduce progression of early atherosclerosis in the carotid artery wall among Eastern Finnish men. *PLoS One*. 2013;8(5):e64107

96. Karppi J, Kurl S, Mäkikallio TH, Ronkainen K, **Laukkanen JA**. Serum β -carotene concentrations and the risk of congestive heart failure in men: A population-based study. *Int J Cardiol*. 2013;168:1841-1846.
97. Kurl S, Mäkikallio TH, Rautaharju P, Kiviniemi V, **Laukkanen JA**. The duration of QRS complex in resting electrocardiogram is predictor of sudden cardiac death in men. *Circulation*. 2012;125: 2588-2594.
98. Virtanen JK, **Laukkanen JA**, Mursu J, Voutilainen S, Tuomainen TP. Serum long-chain n-3 polyunsaturated fatty acids, mercury, and risk of sudden cardiac death in men: A prospective population-based study. *PLoS One*. 2012;7:e41046.
99. Rantakömi SH, **Laukkanen JA**, Sivenius J, Kauhanen J, Kurl S. Hangover and the risk of stroke in middle-aged men. *Acta Neurol Scand*. 2012;127:186-191.
100. Karppi J, **Laukkanen JA**, Mäkikallio TH, Ronkainen K, Kurl S. Low β -carotene concentrations increase the risk of cardiovascular disease mortality among Finnish men with risk factors. *Nutr Metab Cardiovasc Dis*. 2012;22:921-928.
101. **Laukkanen JA**, Jennings RJ, Kauhanen J, Mäkikallio TH, Ronkainen K, Kurl S. Relation of systemic blood pressure to sudden cardiac death. *Am J Cardiol*. 2012;110:378-382.
102. Valtonen M, Laaksonen DE, **Laukkanen JA**, Tolmunen T, Viinamäki H, Kauhanen J, Lakka T, Lakka HM, Niskanen L. Low-grade inflammation and depressive symptoms as predictors of abdominal obesity. *Scand J of Public Health*. 2012;40:674-680.
103. Karppi J, **Laukkanen JA**, Sivenius J, Ronkainen K, Kurl S. Serum lycopene decreases the risk of stroke in men: a population-based follow-up study. *Neurology*. 2012;79:1540-1547.
104. Rantakömi SH, **Laukkanen JA**, Sivenius J, Kauhanen J, Kurl S. Alcohol consumption and the risk of stroke among hypertensive and overweight men. *Journal of Neurology*. 2012;260:543-539.

105. Karppi J, Kurl S, **Laukkanen JA**, Kauhanen J. Serum β -carotene in relation to risk of prostate cancer: the Kuopio Ischaemic Heart Disease Risk Factor (KIHD) study. *Nutr Cancer*. 2012;64:361-367.
106. Karppi J, **Laukkanen JA**, Mäkikallio TH, Kurl S. Low serum lycopene and β -carotene increase risk of acute myocardial infarction in men. *Eur J Public Health*. 2012;22:835-840.
107. Savonen KP, Kiviniemi V, Laaksonen DE, Lakka TA, **Laukkanen JA**, Tuomainen TP, Rauramaa R. Two-minute heart rate recovery after cycle ergometer exercise and all-cause mortality in middle-aged men. *J Intern Med*. 2011;270:589-596.
108. Karppi J, Kurl S, **Laukkanen JA**, Rissanen TH, Kauhanen J. Plasma carotenoids are related to intima-media thickness of the carotid artery wall in men from eastern Finland. *J Intern Med*. 2011;270:478-485.
109. Karppi J, **Laukkanen JA**, Kurl S. Plasma lutein and zeaxanthin and the risk of age-related nuclear cataract among the elderly Finnish population. *Br J Nutr*. 2012;108:148-154.
110. Mursu J, Virtanen JK, Rissanen TH, Tuomainen TP, Nykänen I, **Laukkanen JA**, Kortelainen R, Voutilainen S. Glycemic index, glycemic load, and the risk of acute myocardial infarction in Finnish men: The Kuopio Ischaemic Heart Disease Risk Factor Study. *Nutr Metab Cardiovasc Dis*. 2011;21:144-149.
111. **Laukkanen JA**, Mäkikallio TH, Rauramaa R, Kiviniemi V, Ronkainen K, Kurl S. Cardiorespiratory fitness is related to the risk of sudden cardiac death. A Population-based follow-up study. *J Am Coll Cardiol*. 2010;56:1476-1483.
112. Toriola AT, Kurl S, Dyba T, **Laukkanen JA**, Kauhanen J. The impact of alcohol consumption on the risk of cancer among men: a 20 year follow up study from Finland. *Eur J Cancer*. 2010;46:1488-1492.

113. Emerging Risk Factors Collaboration, Kaptoge S, Di Angelantonio E, Lowe G, Pepys MB, Thompson SG, Collins R, Danesh J. The KIID investigators Salonen JT, Nyysönen K, Tuomainen TP, **Laukkanen JA**. C-reactive protein concentration and risk of coronary heart disease, stroke, and mortality: an individual participant meta-analysis. *Lancet*. 2010;375:132-140.
114. Valtonen M, Laaksonen DE, **Laukkanen JA**, Tolmunen T, Rauramaa R, Viinamäki H, Lakka T, Niskanen L, Kauhanen J. Sedentary lifestyle and emergence of hopelessness in middle-aged men. *Eur Journal of Cardiovasc Prev and Rehabilitation*. 2010;17:524-529.
115. **Laukkanen JA**, Mäkikallio TH, Kauhanen J, Kurl S. Insertion/deletion polymorphism in alpha2-adrenergic receptor gene is a genetic risk factor for sudden cardiac death. *Am Heart J*. 2009;158:615-621.
116. **Laukkanen JA**, Pukkala E, Rauramaa R, Mäkikallio TH, Toriola AT, Kurl S. Cardiorespiratory fitness, lifestyle factors and cancer risk and mortality in Finnish men. *Eur J Cancer*. 2009;46:355-363.
117. **Laukkanen JA**, Rauramaa R, Mäkikallio TH, Toriola AT, Kurl S. Intensity of leisure-time physical activity and cancer mortality in men. *Br J Sports Med*. 2011;45:125-129.
118. **Laukkanen JA**, Laaksonen D, Lakka TA, Savonen K, Rauramaa R, Mäkikallio T, Kurl S. Determinants of cardiorespiratory fitness in men aged 42 to 60 years with and without cardiovascular disease. *Am J Cardiol*. 2009;103:1598-1504.
119. Toriola AT, Kurl S, **Laukkanen JA**, Kauhanen J. Does binge drinking increase the risk of lung cancer: results from the Findrink study. *Eur J Public Health*. 2009;19:389-393.
120. Kurl S, Ala-Kopsala M, Ruskoaho H, Mäkikallio T, Nyysönen K, Vuolteenaho O, Sivenius J, Salonen JT, **Laukkanen JA**. Plasma N-terminal fragments of natriuretic peptides predict the risk of stroke and atrial fibrillation in men. *Heart*. 2009;95:1067-1071.

121. **Laukkanen JA**, Mäkikallio TH, Rauramaa R, Kurl S. Asymptomatic ST-segment depression during exercise testing and the risk of sudden cardiac death in middle-aged men. A population-based follow-up study. *Eur Heart Journal*. 2009;30:558-565.

122. Rantakömi SH, **Laukkanen JA**, Kurl S, Kauhanen J. Binge drinking and the progression of atherosclerosis in middle-aged men. An 11-year follow-up. *Atherosclerosis*. 2009;205:266-271.

123. Kurl S, Sivenius J, Mäkikallio TH, Rauramaa R, **Laukkanen JA**. Exercise workload, cardiovascular risk factor evaluation and the risk of stroke in middle-aged men. *J Intern Med*. 2009;265:229-237.

124. Mäkikallio TH, Niemelä M, Kervinen K, Jokinen V, **Laukkanen JA**, Ylitalo K, Tulppo MP, Juvonen J, Huikuri HV. Coronary angioplasty in drug eluting stent era for the treatment of unprotected left main stenosis compared to coronary artery bypass grafting. *Ann Med*. 2008;40:437-443.

125. Savonen KP, Kiviniemi V, **Laukkanen JA**, Lakka TA, Rauramaa TH, Salonen JT, Rauramaa R. Chronotropic incompetence and mortality in middle-aged men with known or suspected coronary heart disease. *Eur Heart Journal*. 2008;29:1896-1902.

126. Toriola AT, Kurl S, **Laukkanen JA**, Mazengo C, Kauhanen J. Alcohol consumption and risk of colorectal cancer. the Findrink study. *Eur J Epidemiol*. 2008;23:395-401.

127. Laaksonen D, Niskanen L, Nyyssönen K, Lakka TA, **Laukkanen JA**, Salonen JT. Dyslipidemia as a predictor of hypertension in middle-aged men. *Eur Heart Journal*. 2008;29:2561-2568.

128. Savonen KP, Lakka TA, **Laukkanen JA**, Rauramaa T, Salonen JT, Rauramaa R. Usefulness of chronotropic incompetence in response to exercise as a predictor of myocardial infarction in middle-aged men without cardiovascular disease. *Am J Cardiol*. 2008;101;992-998.

129. **Laukkanen JA**, Rauramaa R, Kurl S. Maximal workload during exercise testing, coronary risk evaluation and the risk of cardiovascular and all-cause death. *Eur Journal of Cardiovas Prev and Rehabilitation*. 2008;15:285-292.
130. Savonen KP, Lakka TA, **Laukkanen JA**, Rauramaa TH, Salonen JT, Rauramaa R. Workload at the heart rate of 100 beats/min and mortality in middle-aged men with known or suspected coronary heart disease. *Heart*. 2008;94:e14.
131. Tuomainen AM, Nyssönen K, **Laukkanen JA**, Tervahartiala T, Tuomainen TP, Salonen JT, Sorsa T, Pussinen PJ. Serum matrix metalloproteinase-8 concentrations predict cardiovascular outcome in men with subclinical atherosclerosis. *Arterioscler Thromb Vasc Biol*. 2007;27:2722-2728.
132. Savonen KP, Lakka TA, **Laukkanen JA**, Rauramaa TH, Salonen JT, Rauramaa R. Effectiveness of workload at the heart rate of 100 beats/min in predicting cardiovascular mortality in men aged 42, 48, 54, or 60 years at baseline. *Am J Cardiol*. 2007;100:563-568.
133. **Laukkanen JA**, Rauramaa R, Salonen JT, Kurl S. The predictive value of cardiorespiratory fitness combined with coronary risk evaluation and the risk of cardiovascular and all-cause death. *J Intern Medicine*. 2007;262:263-272.
134. Tolmunen T, **Laukkanen JA**, Hintikka J, Kurl S, Viinamäki H, Salonen R, Kauhanen J, Kaplan GA, Salonen JT. Low maximal oxygen uptake is associated with elevated depressive symptoms in middle-aged men. *Eur J Epidemiol*. 2006;21:701-706.
135. **Laukkanen JA**, Kurl S, Salonen JT, Kuhanen R, Lakka TA, Rauramaa R. Peak oxygen pulse during exercise and the risk of cardiovascular and all-cause death. *Heart*. 2006;92:1219-1224.
136. **Laukkanen JA**, Kurl S, Rauramaa R, Lakka TA, Venäläinen J, Salonen JT. Systolic blood pressure response to exercise testing is related to the risk of acute myocardial infarction in middle-aged men. *Eur Journal of Cardiovas Prev and Rehabilitation*. 2006;13:421-428.

137. **Laukkanen JA**, Kurl S, Ala-Kopsala M, Ruskoaho H, Vuolteenaho O, Nyysönen K, Salonen JT. Plasma N-Terminal fragments of natriuretic propeptides predict the risk of cardiovascular events and mortality. *Eur Heart Journal*. 2006;27:1230-1237.

138. Virtanen JK, Voutilainen S, Rissanen TH, Happonen P, Mursu J, **Laukkanen JA**, Poulsen H, Lakka TA, Salonen JT. High dietary methionine intake increases the risk of acute coronary events in middle-aged men. *Nutrition Metab Cardiovas*. 2006;16:116-120.

139. Savonen KP, Lakka TA, **Laukkanen JA**, Halonen PM, Rauramaa TH, Salonen JT, Rauramaa R. Heart rate response during exercise test and cardiovascular mortality in middle-aged men. *Eur Heart Journal*. 2006;27:582-588.

140. Kurl S, **Laukkanen JA**, Niskanen L, Laaksonen D, Sivenius J, Salonen JT. Metabolic syndrome and the risk of stroke in middle-aged men. *Stroke*. 2006;37:806-811.

141. Pussinen PJ, Nyysönen K, Alfthan G, Salonen R, **Laukkanen JA**, Salonen JT. Serum antibody levels to *Actinobacillus actinomycetemcomitans* predict the risk for coronary heart disease. *Arterioscler Thromb Vasc Biol*. 2005;25:833-838.

142. **Laukkanen JA**, Kurl S, Eränen J, Huttunen M, Salonen JT. Left atrium size and the risk of cardiovascular death in middle-aged men. *Arch Intern Med*. 2005;165:1788-1793.

143. Virtanen JK, Voutilainen S, Rissanen TH, Mursu J, Tuomainen TP, Korhonen MJ, Valkonen VP, Seppanen K, **Laukkanen JA**, Salonen JT. Mercury, fish oils, and risk of acute coronary events and cardiovascular disease, coronary heart disease, and all-cause mortality in men in eastern Finland. *Arterioscler Thromb Vasc Biol*. 2005;25:228-233.

144. Kurl S, **Laukkanen JA**, Niskanen L, Rauramaa R, Tuomainen TP, Sivenius J, Salonen JT. Cardiac power during exercise and the risk of stroke in men. *Stroke*. 2005;36:820-824.

145. **Laukkanen JA**, Laaksonen DE, Niskanen L, Pukkala E, Salonen JT. Metabolic syndrome and the risk of prostate cancer in Finnish men: a Population-based study. *Cancer Epidemiology, Biomarkers and Prevention*. 2004;13:1646-1650.
146. Voutilainen S, Virtanen JK, Rissanen TH, Alfthan G, **Laukkanen JA**, Nyssönen K, Mursu J, Valkonen VP, Tuomainen TP, Kaplan GA, Salonen JT. Serum folate and homocysteine and the incidence of acute coronary events: the Kuopio Ischaemic Heart Disease Risk Factor Study. *Am J Clin Nutr*. 2004;80:317-323.
147. **Laukkanen JA**, Kurl S, Salonen R, Rauramaa R, Salonen JT. The predictive value of cardiorespiratory fitness for cardiovascular events in men with various risk profiles: a prospective population-based cohort study. *Eur Heart Journal*. 2004;25:1428-1437.
148. Laaksonen DE, **Laukkanen JA**, Niskanen L, Nyssönen K, Rissanen TH, Voutilainen S, Pukkala E, Hakkarainen A, Salonen JT. Serum linoleic and total polyunsaturated fatty acids in relation to prostate and other cancers: A population-based cohort study. *Int J Cancer*. 2004;111:444-450.
149. **Laukkanen JA**, Kurl S, Salonen R, Rauramaa R, Salonen JT. Systolic blood pressure during recovery from exercise and the risk of acute myocardial infarction in middle-aged men. *Hypertension*. 2004;44:820-825.
150. Kurl S, **Laukkanen JA**, Tuomainen T-P, Rauramaa R, Lakka TA, Salonen JT, Eränen J, Sivenius J, Salonen JT. Association of exercise-induced silent ST-depression with the risk of stroke and cardiovascular diseases in men. *Stroke*. 2003;34:1760-1765.
151. Kurl S, **Laukkanen JA**, Rauramaa R, Lakka TA, Sivenius J, Salonen JT. Cardiorespiratory fitness and the risk of stroke in men. *Arch Intern Med*. 2003;163:1682-1688.
152. Kurl S, Tuomainen T-P, **Laukkanen JA**, Nyssönen K, Lakka TA, Sivenius J, Salonen JT. Plasma vitamin C modifies the association of hypertension and the risk of stroke. *Stroke*. 2002;33:1568-1573.

153. **Laukkanen JA**, Kurl S, Lakka TA, Tuomainen T-P, Rauramaa R, Salonen R, Salonen JT. Exercise-induced silent myocardial ischemia and coronary morbidity and mortality. *J Am Coll Cardiol.* 2001;38:72-79.

154. **Laukkanen JA**, Lakka TA, Rauramaa R, Kuhanen R, Venäläinen JM, Salonen R, Salonen JT. Cardiovascular fitness as a predictor of mortality in men. *Arch Intern Med.* 2001;161:825-831.

155. Lakka TA, **Laukkanen JA**, Rauramaa R, Kaplan G, Salonen R, Salonen JT. Cardiorespiratory fitness and the progression of carotid atherosclerosis in middle-aged men. *Ann Intern Med.* 2001;134:12-20.

156. Kurl S, **Laukkanen JA**, Rauramaa R, Lakka TA, Sivenius J, Salonen JT. Systolic blood pressure response to exercise stress test and the risk of stroke. *Stroke.* 2001;32:2036-2041.

REVIEW ARTICLES, GUIDELINES PAPERS

1. **Laukkanen JA**, Khan H, Kunutsor SK. Cardiorespiratory fitness, muscle strength and risk of cardiovascular outcomes. *J Public Health Emerg* 2017; 1: 60
2. Eskola M, Varenhorst C, Mäkikallio T, Nyman K, Rück A, Virtanen M, Niemelä M, Niva J, Maaranen P, Piira O-P, **Laukkanen JA**, Mäkelä T, James S. Aorttaläppäahtauman hoito katetritekniikalla: kansallinen ja kansainvälinen vertaisarviointi. Transcatheter aortic valve implantation a national and international peer review (Kardio registry data). *Suomen lääkirilehti*. 2016;225:47-49.
3. Hautala AJ, Alapappila A, Häkkinen H, Kettunen J, **Laukkanen JA**, Meinilä L, Savonen K. Sepelvaltimotautipotilaan liikunnallinen kuntoutus. Exercise-based rehabilitation among patients with coronary heart disease. *Suomen lääkirilehti*. 2016;42:53-57.
4. **Laukkanen J**, Nieminen T, Savonen K, Kervinen K, Poutanen T, Raatikainen P. Kliinisen rasituskokeen käyttö sydänsairauksissa. Suomen kardiologisen seuran suositus; Exercise testing guidelines, Finland. *Suomen lääkirilehti* 2016;9:633-644.
5. Rauramaa R, Kukkonen-Harjula K, Arokoski J, Hohtari H, Ketola E, Komulainen P, Kettunen J, Kujala U, **Laukkanen J**, Pykkänen L, Savela S, Savonen K, Tikkanen H. Liikunta – käypä hoito; Update on Current Guideline: Physical activity and exercise training for adults in sickness and in health. *Duodecim* 2016;132(5):478-479.
6. Rissanen T, Raatikainen P, **Laukkanen JA**. Sydänpotilaan tutkiminen s. 91-122. *Kardiologia* 2016, 3. uudistettu painos 2016, 1296 sivua.
7. **Laukkanen JA**, Airaksinen J. Vakaan sepelvaltimotaudin diagnostiikka ja vaaran arviointi s. 309-322. *Kardiologia* 2016, 3. uudistettu painos 2016, 1296 sivua.
8. **Laukkanen JA**, Nieminen T. Kliininen rasituskoe s.151-172. *Kardiologia* 2016, 3. uudistettu painos 2016, 1296 sivua.

9. Laine M, **Laukkanen JA**. Liikunta ja sydänsairauksien ehkäisy ja hoito s. 1133-1146. Kardiologia 2016, 3. uudistettu painos 2016, 1296 sivua.

10. Savonen K, **Laukkanen J**, Peltonen J. Suorituskyky ja kardiorespiratorinen kunto – kuormitusfysiologiasta kliiniseen päätöksentekoon. Performance and cardiorespiratory fitness: from exercise physiology to clinical decision-making. Duodecim 2015;131(18):1693-1699.

11. Savonen K, Hautala A, **Laukkanen J**. Liikunnallinen kuntoutus sepelvaltimotaudin hoidossa. Exercise-based coronary heart disease rehabilitation guidelines. Sydänääni 2015;26,3A: 302-310.

12. **Laukkanen JA**, Kurl S. Blood pressure during exercise - is up best for prognosis? Annals of Medicine. 2012;44;218-22.4

13. Kettunen R, **Laukkanen JA**. Rasituskoet sepelvaltimotaudin diagnostiikassa ja ennusteen arvioinnissa. Exercise testing as a diagnostic and prognostic tool of coronary heart disease. Suomen lääkäri-lehti. 2011;8:627-633.

14. **Laukkanen JA**, Hernelahti M, Huikuri H. Liikunta ja sydämen rytmihäiriöt. Physical activity and arrhythmias. Suomen lääkäri-lehti. 2010;21:1905-1911.

15. **Laukkanen JA**, Kurl S, Salonen JT. Cardiorespiratory fitness and physical activity as risk predictors of future atherosclerotic cardiovascular diseases. Curr Atheroscler Rep. 2002;4(6):468-476.

16. Kettunen R, **Laukkanen JA**, Nieminen T, Kettunen R. Rasituskoet, vieläkö sitä tarvitaan? Is exercise testing still necessary? Sydänääni. 2011;22:20-29.

17. Hautala A, Alapappila A, Kangas H, Kettunen J, **Laukkanen J**, Meinilä L. Suomen Fysioterapeutit ry-Sepelvaltimotautipotilaan liikunnallinen kuntoutus. http://terveysportti.fi/dtk/sfs/avaa?p_artikkeli=sfs00002. Rehabilitation guidelines 2011; updated 2016.

18. **Laukkanen JA**, Kurl S. Cardiorespiratory Fitness and Atherosclerotic Cardiovascular Diseases. Book: Focus on Atherosclerosis Research. NOVA , U.S. 2004. Pages 37-61.

19. **Laukkanen JA**. Sydänyksikön esittely: Lapin keskussairaala. Cardiac health care system. Sydänääni 2014; 25(3): 22-24.

20. **Laukkanen JA**, Lakka TA, Rauramaa R. Cardiovascular fitness as a predictor of mortality: Are regular cardiovascular fitness measurements useful among individuals undergoing exercise testing? Cardiovascular Reviews & Reports. 2002;23:1-7.

EDITORIALS, RESEARCH LETTERS

1. Mäkikallio TH, Junttila J, Kiviniemi A, Kurl S, Ylitalo K, Magga J, Jokinen V, Piira O-P, Kervinen K, Niemelä M, **Laukkanen JA**. Long-term survival among patients with coronary angioplasty with drug eluting stent for the treatment of unprotected left main stenosis compared to coronary artery bypass grafting. Int J Cardiol. 2016 Sep 28;225:47-49.

2. **Laukkanen JA**. Editorial: cardiac rehabilitation: why is it an underused therapy? Eur Heart J. 2015;36(24):1500-1501.

3. Jae SY, Kurl S, **Laukkanen JA**, Franklin BA. Physical activity and cardiorespiratory fitness as underappreciated modulators of obesity-related risk of sudden cardiac death. Heart. 2015;101(10):822.

4. Response Letter Regarding Article: Kurl S, Mäkikallio TH, Rautaharju P, Kiviniemi V, **Laukkanen JA**. The duration of QRS complex in resting electrocardiogram is predictor of sudden cardiac death in men. Circulation 2012;126:338.

5. **Laukkanen JA**, Kurl S. Editorial: cardiorespiratory fitness, adiposity and hypertension. Am J Hypert 2009;22(19):1029.

PUBLISHED SHORT PAPERS AND OTHER ORIGINAL ARTICLES

1. **Laukkanen JA**. Liikunta kuntouttaa ja parantaa sydänpotilaan ennustetta. Liikunta ja Tiede 2017; 2-3: 19-21.

2. Laukkanen T, Khan H, Zaccardi F, **Laukkanen JA**. Sauna bathing is associated with reduced cardiovascular mortality. Nature Reviews Cardiology 2015; 12: 257.

doi:10.1038/nrcardio.2015.35

3. Kurl S, Mäkikallio TH, Rautaharju P, Kiviniemi V, **Laukkanen JA**. Pitkä QRS-aika ennakoii äkkikuolemaa; QRS complex and risk of sudden cardiac death. Duodecim 2012;128(13):1343.

4. Laukkanen T, Khan H, Zaccardi F, **Laukkanen JA**. Saunominen suojaa sydänperäiseltä kuolemalta; sauna bathing, fatal cardiovascular events and sudden cardiac death.

Duodecim 2015;131(5):485.

5. Pussinen PJ, Nyysönen K, Alfthan G, Salonen R, **Laukkanen JA**, Salonen JT. Seerumin kollagenaasi 2:n (MMP-8) ja kudosisvälitilan estäjä 1:n (TIMP-1) pitoisuudet ateroskleroosin riskitekijänä miehillä; MMP-8, TIMP-1 and atherosclerosis. Duodecim 2007;123(22):2673.

6. **Laukkanen JA**, Pukkala E, Rauramaa R, Mäkikallio TH, Toriola AT, Kurl S. Hyvä kunto saattaa pienentää miehen syöpäriskiä; Cardiorespiratory fitness and cancer risk.

Duodecim 2009;125(20):2231.

7. **Laukkanen JA**, Mäkikallio TH, Rauramaa R, Kiviniemi V, Ronkainen K, Kurl S. Hyvä fyysinen kunto suojaa äkkikuolemalta. Cardiorespiratory fitness and sudden cardiac death.

Duodecim 2010;126(24):2879.

8. **Laukkanen JA**, Turpeinen A, Vainio P, Vanninen R, Vanninen E, Litmanen H, Uusitupa M. Hypertrophy in athletes heart's in magnetic resonance imaging. Sport Medicine.1997;1:25-28.

9. **Laukkanen JA**. Fyysinen kunto ja sepelvaltimotauti; Physical fitness and coronary heart disease. Liikunta ja Tiede 2001.

10. **Laukkanen JA**. EKG ja sydämen rytmihäiriöt. ECG and arrhythmias. Hyvä Terveys lehti 2013.